architectural handmade
bricks n pavers | AH BP

Technical Data Sheet

017 / 019 Smooth Combined Blend

This technical manual offers specific details on the strength and durability characteristics of the extensive product range manufactured by AH Bricks and Pavers.

Technical Specifications

Brick Sizes & Dimensions

This technical manual applies to all brick sizes and types, including long and short slender bricks, standard bricks and thin bricks.

It also covers custom brick sizes that may not be specifically listed in this manual.

	Length	Width	Height
Bricks	500	110	40
	400	110	40
	300	110	40
	230	110	76
	500	90	40
	400	90	40
	300	90	40
	500	110	50
	400	110	50
	300	110	50
	500	90	50
	400	90	50
	300	90	50
Brick Tiles	400	20	40
	300	20	40
	230	20	40
	230	20	76
Corner Bricks (110mm return corners)	500	20	40
	400	20	40
	300	20	40
	200	20	40
	500	20	50
	400	20	50
	300	20	50
	200	20	50

Technical Specifications

Bricks & Brick Tiles

Dimensions	*Includes all types and sizes of bricks, including long and short slender bricks, standard bricks, and thin bricks.*
Compressive Strength	*Mean 28 MPa*
Water Absorption %	*Less than 8*
Fire	*Non-combustible*
Durabiliy (Salt Attach)	*Contains a salt inhibitor*
Liability to Effloresce	*Contains effloresce inhibitor*
Sound	*TBA*
Breaking Load	*Mean 2.3 kN*
UV	*UV Resistant*
Frost	*Frost Resistant*
Colour Variation	*Slight*
Weight	*Contact AHBP for details of specific size*
Blending	*During laying, blend from pallet to pallet*

Colour Variation: *AHBP Bricks are manufactured from all-natural materials. Some colour variation will naturally occur. As a naturally curing product, variation is expected to be slight.*

architectural handmade
bricks n pavers | AH BP

+61 466 161 264 info@bricksnpavers.com www.ahbricksnpavers.com @ahbricksnpavers